



PRIOPĆENJE

FIRST RELEASE



Obvezni ste da prilikom dozvoljenih radnji, u svom proizvodu ili aplikaciji navedete izvor podataka.
You are required to specify a data source when allowed in your product or application.

GODINA/YEAR XVII

SARAJEVO, 20.11.2024.

BROJ/NUMBER 2

POLJOPRIVREDA I ŠUMARSTVO

AGRICULTURE AND FORESTRY

PROIZVODNJA I PRODAJA ŠUMSKIH SORTIMENATA U BiH PREMA ASORTIMANU U III TROMJESEČJU 2024.

*PRODUCTION AND SALES OF FOREST ASSORTMENTS IN BOSNIA AND HERZEGOVINA IN 3rd QUARTER
OF 2024.*

Ukupna proizvodnja šumskih sortimenata u Bosni i Hercegovini u trećem tromjesečju 2024. godine je manja za 14,54% u odnosu na isto razdoblje 2023. godine. Proizvodnja sortimenata četinjača manja je za 10,04% i proizvodnja sortimenata listača manja je za 18,82%.

Proizvodnja trupaca četinjača manja je za 14,71% i proizvodnja trupaca listača bilježi pad od 16,00%. Rast proizvodnje u odnosu na treće tromjesečje 2023. godine bilježi se kod prostornog drveta četinjača za 5,65%. Dok se pad proizvodnje bilježi: kod janskog drveta četinjača 22,18%, kod ostalog dugog drveta četinjača 6,44%, kod prostornog drveta listača 59,20% i kod ogrjevnog drveta listača 18,84%. Kod proizvodnje ostalog grubo obrađenog drveta, ogrjevnog drveta četinjača i janskog drveta listača radi se o malim količinama sortimenata čije variranje u proizvedenim količinama nema utjecaja na promjene u ukupnoj proizvodnji šumskih sortimenata.

The total production of forest assortments in Bosnia and Herzegovina in the third quarter of 2024 is smaller by 14,54% compared to the same period in 2023. The production of coniferous (softwood) assortments is for 10,04% lower and the production of broadleaf (hardwood) is for 18,82% lower.

The production of coniferous logs decreased by 14,71% and the production of broadleaf logs decreased by 16,00%. Production growth compared to the third quarter of 2023 was recorded for coniferous cordwood by 5,65%. While the decrease in production was recorded: for coniferous mining wood 22,18%, for other long coniferous wood 6,44%, for broadleaf cordwood 59,20% and for broadleaf fuelwood 18,84%. In the production of other roughly worked wood, coniferous fuelwood and broadleaf mining wood, we are talking about small quantities of assortments whose variation in the produced quantities has no effect on changes in the total production of forest assortments.


Tablica 1. PROIZVODNJA I PRODAJA ŠUMSKIH SORTIMENATA PREMA ASORTIMANU U III TROMJESEČJU 2024

Table 1. PRODUCTION AND SALE OF FOREST ASSORTMENTS IN 3rd QUARTER OF 2024

	Proizvodnja (Production)			Prodaja (Sale)			
	III tromjesečje 3 rd quarter 2023	III tromjesečje 3 rd quarter 2024	Indeksi Indicies <u>X-XII 2024</u> X-XII 2023	III tromjesečje 3 rd quarter 2023	III tromjesečje 3 rd quarter 2024	Indeksi Indicies <u>X-XII 2024</u> X-XII 2023	
	m ³			m ³			
UKUPNO	1.140.423	974.630	85,5	1.180.729	1.016.830	86,1	TOTAL
ČETINJAČA	556.368	500.506	90,0	551.140	505.145	91,7	CONIFEROUS
LISTAČA	584.055	474.124	81,2	629.588	511.684	81,3	BROAD LEAF
Trupci četinjača	382.612	326.326	85,3	378.581	352.101	93,0	Logs, coniferous
Jamsko drvo četinjača	29.896	23.264	77,8	31.270	21.994	70,3	Mining wood, coniferous
Ostalo dugo drvo četinjača	6.233	5.832	93,6	6.122	5.419	88,5	Other long wood, coniferous
Prostorno drvo četinjača	137.140	144.894	105,7	134.650	125.350	93,1	Cordwood, coniferous
Trupci listača	165.129	138.702	84,0	173.495	148.807	85,8	Logs, broadleaf
Jamsko drvo listača	221	14	-	250	28	-	Mining wood, broadleaf
Ostalo dugo drvo listača	1.824	6.245	342,4	3.723	6.803	182,7	Other long wood, broadleaf
Prostorno drvo listača	24.130	9.845	40,8	26.865	11.234	41,8	Cordwood, broadleaf
Ogrjevno drvo četinjača	488	192	-	518	282	-	Fuelwood, coniferous
Ogrjevno drvo listača	392.751	318.776	81,2	425.255	344.271	81,0	Fuelwood, broadleaf
Ostalo grubo obrađeno drvo	0	541	-	0	541	-	Other wood, roughly worked


Graf 1. Proizvodnja šumskih sortimenata u Bosni i Hercegovini u 1000 m³ - III tromjesečje 2023. i 2024. god.

Production of forest assortments in Bosnia and Herzegovina in 1000 m³ - 3rd quarter of 2023 and 2024



Graf 2. Postotni udio pojedinih sortimenata u ukupnoj proizvodnji šumskih sortimenata u III tromjesečju 2024. god.

Percentage participation of different assortments in total production of forest assortments in 3rd quarter of 2024



Metodološka objašnjenja

Podaci o proizvodnji šumskih sortimenata, obrađeni u ovom priopćenju, urađeni su na temelju rezultata obrade entitetskih zavoda za statistiku iz redovitog mjesečnog istraživanja.

Mjesečna izvješća podnose sva poduzeća koja se bave stalnom proizvodnjom šumskih sortimenata iz šuma u državnoj svojini, bez obzira da li im je iskorištavanje šuma temeljna ili sporedna djelatnost.

Podacima je obuhvaćena samo proizvodnja šumskih sortimenata iz državnih šuma, dok šumski sortimenti proizvedeni u šumama na koje postoji pravo svojine nisu uključeni.

Iskazane količine predstavljaju neto drvenu masu sortimenata izraženu u zapreminskim metrima.

Četinjače su vrste drveća iz klase golosjemenica (Gymnospermae), pretežito iz porodice Pinaceae. Ovdje spadaju autohtone, komercijalne vrste drveća kao što su jela (*Abies alba*), smrča (*Picea abies*) te bijeli (*Pinus sylvestris*) i crni bor (*Pinus nigra*). Drvo četinjača ima jednostavniju građu i u međunarodnoj klasifikaciji se, bez obzira na mehanička svojstva označava nazivom *softwood*.

Listače su vrste drveća iz klase skrivenosjemenica (Angiospermae). Ovdje spadaju autohtone, komercijalne vrste drveća listača kao što su: bukva (*Fagus sylvatica*), hrast kitnjak (*Quercus petraea*) te vrste plemenitih listača iz rodova *Fraxinus* (jasen), *Acer* (javor), *Ulmus* (brijest) i *Prunus avium* (divlja trešnja) i ostalih tvrdih i mekih listača. Drvo liščara je složenije građe u odnosu na drvo četinjača i u međunarodnoj klasifikaciji se, bez obzira na mehanička svojstva označava nazivom *hardwood*.

Trupci su šumski drveni sortimenti odgovarajućih fizičkih i mehaničkih svojstava, namjenjeni za dalju mehaničku preradu (piljenje, rezanje ili ljuštenje).

Jamsko drvo obuhvaća šumske drvene sortimente povoljnih fizičkih i mehaničkih svojstava čiji se prirodni oblik, dimenzije i svojstva koriste za izgradnju i održavanje jamskih kopova i rudarskih okna. Može se upotrebljavati i za krovne konstrukcije.

Ostalo dugo drvo obuhvaća tehničko drvo čiji se prirodni oblik, dimenzije i svojstva koriste za proizvodnju TT stubova, stubova za skele, šipova, jarbola i sl.

Prostorno drvo obuhvaća drvo lošijih tehničkih karakteristika, oblo ili cijepano koje se koristi u kemskoj preradi za proizvodnju celuloze, drvenjače, drvene vune, tanina i sl.

Ogrijevno drvo je drvo namijenjeno neposredno za ogrijev ili proizvodnju drvenog uglja.

Ostalo grubo obrađeno drvo obuhvaća sitno tehničko drvo kao što su stubovi za hmelj ili lozu, motke, kolje, štapovi, ručke, obruči, pletarski štapovi, pruća i sl.

Notes on methodology

The data on production of forest products presented here have been prepared on a basis of data provided by entity statistical offices underlying the regular monthly survey results.

Monthly reports are provided by all companies performing their business activities in the forestry sector and permanently producing forest products.

The data presented here cover only production of forest products manufactured out of the resources from the state-owned forest. Forest products from private forests are not covered here.

The given quantities represent net volume measured in cubic meters

Coniferous are tree species from systematic class of naked-seed plants (Gymnospermae), mostly from Pinaceae tree family. Here belong domestic commercial tree species: European Fir (*Abies alba*), Spruce (*Picea abies*), Scots Pine (*Pinus sylvestris*) and European Black Pine (*Pinus nigra*). Coniferous wood is less complex in structure and in international classification, regardless its mechanical properties, it is classified as *softwood*.

Broad leaf are tree species from systematic class of covered-seed plants (Angiospermae). Here belong domestic commercial species: Beech (*Fagus sylvatica*), Sessile Oak (*Quercus petraea*), so called noble broad leaf trees like species from genera *Fraxinus* (Ash), *Acer* (Maple), *Ulmus* (Elm), *Prunus avium* (Wild Cherry) and hard and soft broad leaf tree species. Broad leaf wood is more complex in structure than coniferous wood and in international classification, regardless its mechanical properties, it is classified as *hardwood*.

Logs are forestry wood products with proper physical and mechanical properties, intended for further mechanical processing (sawing, slicing or peeling).

Mining wood include forestry wood products with proper physical and mechanical properties which natural shape, dimensions and properties are used for construction and maintenance of mining pits. It could also be used for roof constructions.

Other long wood includes technical wood which natural shape, dimensions and properties are used for manufacture of utility poles, scaffold poles, foundation poles, masts etc.

Cordwood include wood of bad technical characteristics, round or split, used in chemical processing for production of chemical and mechanical pulp, wooden wool, tannin etc.

Fuelwood is wood intended for heating or production of charcoal.

Other wood, roughly worked is small technical wood like hop and vine poles, other poles, pickets, sticks, handles, wooden rims, brushwood etc.

Publikuje Agencija za statistiku Bosne i Hercegovine, 71000 Sarajevo, Zelenih beretki 26
Published by the Agency for Statistics of the Bosnia and Herzegovina, 71000 Sarajevo, Zelenih beretki 26

Telefon/Phone: +387 (33) 911 911 | Telefaks/Telefax: +387 (33) 220 622
Elektronička pošta/E-mail: bhas@bhas.gov.ba | Internetska stranica/Web site: www.bhas.gov.ba

Odgovorne osobe/Responsible person
Lidija Lukić, šefica odsjeka za statistiku poljoprivrede, šumarstva i ribarstva
Lidija Lukić, Head of Agriculture, Forestry and Fishery Statistics Department

Vesna Čužić, ravnateljica
Vesna Čužić, Director

Priopćenje priredila: Lidija Lukic
Prepared by: Lidija Lukic



Razmislite o očuvanju okoliša prije tiskanja dokumenta.
Please consider the environment before printing this document.