



SAOPĆENJE

FIRST RELEASE



  Obavezni ste da prilikom dozvoljenih radnji, u svom proizvodu ili aplikaciji navedete izvor podataka.
You are required to specify a data source when allowed in your product or application.

GODINA/YEAR XVII

SARAJEVO, 20.02.2026.

BROJ/NUMBER 2

POLJOPRIVREDA I ŠUMARSTVO

AGRICULTURE AND FORESTRY

PROIZVODNJA I PRODAJA ŠUMSKIH SORTIMENATA U BiH PREMA ASORTIMANU U IV KVARTALU 2025.

*PRODUCTION AND SALES OF FOREST ASSORTMENTS IN BOSNIA AND HERZEGOVINA IN 4th QUARTER
OF 2025.*

Ukupna proizvodnja šumskih sortimenata u Bosni i Hercegovini u četvrtom kvartalu 2025. godine je veća za 16,39% u odnosu na isti period 2024. godine. Proizvodnja sortimenata četinarskih vrsta drveća veća je za 17,04%, a proizvodnja sortimenata lišćarskih vrsta za 15,70%.

Proizvodnja trupaca četinara veća je za 15,26% i proizvodnja trupaca lišćara bilježi rast od 15,11%. Rast proizvodnje u odnosu na četvrti kvartal 2024. godine bilježi se kod janskog drveta četinara za 28,56%, kod ostalog dugog drveta četinjara za 131,45%, kod prostornog drveta četinjara 14,45%, kod prostornog drveta lišćara za 7,79% i kod ogrjevnog drveta lišćara za 17,67%. Kod proizvodnje ostalog grubo obrađenog drveta, ogrjevnog drveta četinara, janskog drveta lišćara i ostalog dugog drveta lišćara radi se o malim količinama sortimenata čije variranje u proizvedenim količinama nema uticaja na promjene u ukupnoj proizvodnji šumskih sortimenata.

The total production of forest assortments in Bosnia and Herzegovina in 4th quarter of 2025 is 16,39% higher than in the same period in 2024. The production of coniferous (softwood) assortments is 17,04% higher, and the production of broadleaf (hardwood) assortments is higher by 15,70%.

The production of coniferous logs increased by 15,26% and the production of hardwood logs increased by 15,11%. Growth in production compared to the fourth quarter of 2024 is recorded for coniferous mining wood by 28,56%, for coniferous other long wood for 131,45%, coniferous cordwood for 14,45%, for broadleaf cordwood by 7,79% and for broadleaf fuelwood for 17,67%. In the production of other roughly processed wood, conifer firewood and hardwood pit wood, we are dealing with small quantities of assortments whose variation in the produced quantities has no effect on changes in the total production of forest assortments.


Tabela 1. PROIZVODNJA I PRODAJA ŠUMSKIH SORTIMENATA PREMA ASORTIMANU U IV KVARTALU 2025

Table 1. PRODUCTION AND SALE OF FOREST ASSORTMENTS IN 4th QUARTER OF 2025

	Proizvodnja (Production)			Prodaja (Sale)			
	IV kvartal 4 th quarter 2024	IV kvartal 4 th quarter 2025	Indeksi <i>Indicies</i> <u>X-XII 2025</u> X-XII 2024	IV kvartal 4 th quarter 2024	IV kvartal 4 th quarter 2025	Indeksi <i>Indicies</i> <u>X-XII 2025</u> X-XII 2024	
	m ³			m ³			
UKUPNO	812.447	945.631	116,39	856.255	993.815	116,07	TOTAL
ČETINARA	420.225	491.827	117,04	459.092	550.170	119,84	CONIFEROUS
LIŠĆARA	392.223	453.803	115,70	397.162	443.644	111,70	BROAD LEAF
Trupci četinarara	258.550	298.008	115,26	283.341	320.148	112,99	Logs, coniferous
Jamsko drvo četinarara	20.464	26.308	128,56	21.313	29.326	137,60	Mining wood, coniferous
Ostalo dugo drvo četinarara	4.843	11.209	231,45	5.492	14.321	260,76	Other long wood, coniferous
Prostorno drvo četinarara	136.244	155.938	114,45	148.714	185.616	124,81	Cordwood, coniferous
Trupci liščara	109.686	126.256	115,11	108.547	122.294	112,66	Logs, broadleaf
Jamsko drvo liščara	75	118	-	83	190	-	Mining wood, broadleaf
Ostalo dugo drvo liščara	5.071	2.078	-	5.687	2.367	-	Other long wood, broadleaf
Prostorno drvo liščara	10.218	11.014	107,79	8.904	9.671	108,62	Cordwood, broadleaf
Ogrjevno drvo četinarara	123	365	-	233	760	-	Fuelwood, coniferous
Ogrjevno drvo liščara	267.130	314.338	117,67	273.881	309.123	112,87	Fuelwood, broadleaf
Ostalo grubo obrađeno drvo	61	0	-	61	0	-	Other wood, roughly worked


Graf.1 Proizvodnja šumskih sortimenata u Bosni i Hercegovini u 1000 m³ - IV kvartal 2024. i 2025. god.

Production of forest assortments in Bosnia and Herzegovina in 1000 m³ - 4th quarter of 2024 and 2025



Graf 2. Procentualno učešće pojedinih sortimenata u ukupnoj proizvodnji šumskih sortimenata u IV kvartalu 2025. god.

Percentage participation of different assortments in total production of forest assortments in 4th quarter of 2025



Metodološka objašnjenja

Podaci o proizvodnji šumskih sortimenata, obrađeni u ovom saopćenju, urađeni su na osnovu rezultata obrade entitetskih zavoda za statistiku iz redovitog mjesečnog istraživanja.

Mjesečne izvještaje podnose sva preduzeća koja se bave stalnom proizvodnjom šumskih sortimenata iz šuma u državnoj svojini, bez obzira da li im je iskorištavanje šuma osnovna ili sporedna djelatnost.

Podacima je obuhvaćena samo proizvodnja šumskih sortimenata iz državnih šuma, dok šumski sortimenti proizvedeni u šumama na koje postoji pravo svojine nisu uključeni.

Iskazane količine predstavljaju neto drvenu masu sortimenata izraženu u zapreminskim metrima.

Četinari su vrste drveća iz klase golosjemenica (Gymnospermae), pretežno iz porodice Pinaceae. Ovdje spadaju autohtone, komercijalne vrste drveća kao što su jela (*Abies alba*), smrčica (*Picea abies*) te bijeli (*Pinus sylvestris*) i crni bor (*Pinus nigra*). Drvo četinarara ima jednostavniju građu i u međunarodnoj klasifikaciji se, bez obzira na mehanička svojstva označava nazivom *softwood*.

Notes on methodology

The data on production of forest products presented here have been prepared on a basis of data provided by entity statistical offices underlying the regular monthly survey results.

Monthly reports are provided by all companies performing their business activities in the forestry sector and permanently producing forest products.

The data presented here cover only production of forest products manufactured out of the resources from the state-owned forest. Forest products from private forests are not covered here.

The given quantities represent net volume measured in cubic meters

Coniferous are tree species from systematic class of naked-seed plants (Gymnospermae), mostly from Pinaceae tree family. Here belong domestic commercial tree species: European Fir (*Abies alba*), Spruce (*Picea abies*), Scots Pine (*Pinus sylvestris*) and European Black Pine (*Pinus nigra*). Coniferous wood is less complex in structure and in international classification, regardless its mechanical properties, it is classified as *softwood*.

Lišćari su vrste drveća iz klase skrivenosjemenica (Angiospermae). Ovdje spadaju autohtone, komercijalne vrste drveća lišćara kao što su: bukva (*Fagus sylvatica*), hrast kitnjak (*Quercus petraea*) te vrste plemenitih lišćara iz rodova *Fraxinus* (jasen), *Acer* (javor), *Ulmus* (brijest) i *Prunus avium* (divlja trešnja) i ostalih tvrdih i mekih lišćara. Drvo lišćara je složenije građe u odnosu na drvo četinara i u međunarodnoj klasifikaciji se, bez obzira na mehanička svojstva označava nazivom *hardwood*.

Trupci su šumski drveni sortimenti odgovarajućih fizičkih i mehaničkih svojstava, namjenjeni za dalju mehaničku preradu (piljenje, rezanje ili ljuštenje).

Jamsko drvo obuhvata šumske drvene sortimente povoljnih fizičkih i mehaničkih svojstava čiji se prirodni oblik, dimenzije i svojstva koriste za izgradnju i održavanje jamskih kopova i rudarskih okna. Može se upotrebljavati i za krovne konstrukcije.

Ostalo dugo drvo obuhvata tehničko drvo čiji se prirodni oblik, dimenzije i svojstva koriste za proizvodnju TT stubova, stubova za skele, šipova, jarbola i sl.

Prostorno drvo obuhvata drvo lošijih tehničkih karakteristika, oblo ili cijepano koje se koristi u hemiskoj preradi za proizvodnju celuloze, drvenjače, drvene vune, tanina i sl.

Ogrjevno drvo je drvo namijenjeno neposredno za ogrijev ili proizvodnju drvenog uglja.

Ostalo grubo obrađeno drvo obuhvata sitno tehničko drvo kao što su stubovi za hmelj ili lozu, motke, kolje, štapovi, ručke, obruči, pletarski štapovi, pruče i sl.

Broad leaf are tree species from systematic class of covered-seed plants (Angiospermae). Here belong domestic commercial species: Beech (*Fagus sylvatica*), Sessile Oak (*Quercus petraea*), so cold noble broad leaf trees like species from genera *Fraxinus* (Ash), *Acer* (Maple), *Ulmus* (Elm), *Prunus avium* (Wild Cherry) and hard and soft broad leaf tree species. Broad leaf wood is more complex in structure than coniferous wood and in international classification, regardless its mechanical properties, it is classified as *hardwood*.

Logs are forestry wood products with proper physical and mechanical properties, intended for further mechanical processing (sawing, slicing or peeling).

Mining wood include forestry wood products with proper physical and mechanical properties which natural shape, dimensions and properties are used for construction and maintenance of mining pits. It could also be used for roof constructions.

Other long wood includes technical wood which natural shape, dimensions and properties are used for manufacture of utility poles, scaffold poles, foundation poles, masts etc.

Cordwood include wood of bad technical characteristics, round or split, used in chemical processing for production of chemical and mechanical pulp, wooden wool, tannin etc.

Fuelwood is wood intended for heating or production of charcoal.

Other wood, roughly worked is small technical wood like hop and vine poles, other poles, pickets, sticks, handles, wooden rims, brushwood etc.

Publikuje Agencija za statistiku Bosne i Hercegovine, 71000 Sarajevo, Zelenih beretki 26
Published by the Agency for Statistics of the Bosnia and Herzegovina, 71000 Sarajevo, Zelenih beretki 26

Telefon/Phone: +387 (33) 911 911 | Telefaks/Telefax: +387 (33) 220 622
Elektronska pošta/E-mail: bhas@bhas.gov.ba | Internetska stranica/Web site: www.bhas.gov.ba

Odgovorne osobe/Responsible persons:
Lidija Lukić, šefica Odsjeka za statistiku poljoprivrede, šumarstva i ribarstva
Lidija Lukić, Head of Agriculture, Forestry and Fishery Statistics Department

Vesna Čužić, direktorica
Vesna Čužić, Director

Saopćenje priredila: Lidija Lukić
Prepared by: Lidija Lukic



 **Razmislite o očuvanju okoliša prije štampanja dokumenta.**
Please consider the environment before printing this document.